



8 7 6 5 4 3 2 1

.125" (1/8") ALUMINUM FACE WITH M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH AND APPLIED VINYL GRAPHICS AND TEXT. NO EXPOSED FASTENERS ON SIGN FACE



PLAN VIEW

SCALE: NONE



ISOMETRIC

SCALE: NONE

BLACK VINYL TEXT FONT
STYLE "FRUTIGER 95"

BLUE VINYL BACKGROUND
TO MATCH PMS #3025U

WHITE VINYL TEXT FONT
STYLE "FRUTIGER 75"

.125" (1/8") ALUMINUM PANELS WITH M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH AND APPLIED BLACK VINYL TEXT (3" CAP HEIGHT), FONT SYTLE "FRUTIGER 75"


1" SPACE BETWEEN PANELS

EXTRUDED ALUMINUM COLUMN WITH M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH

SEE BASE POST SECTION
THIS SHEET

SEE ALTERNATE MOUNTING
DETAIL, SHEET 9


3000 PSI CONCRETE
FOOTINGS



FRONT VIEW


SCALE: NONE

.125" (1/8") ALUMINUM FACE WITH M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH, NO EXPOSED FASTENERS ON SIGN FACE



A: 8' MINIMUM/9' MAXIMUM
B: 2' MINIMUM

DESIGN GUIDANCE!
REMOVE THIS DIAGRAM WHEN
INSERTED INTO A DRAWING
PACKAGE



BASE POST SECTION

SCALE: NONE

NOTES FOR DESIGNER:

(DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)
1. COORDINATE WITH LANL MASTER SPECIFICATION 10 1405.

DRAWING DEVELOPED FOR ML-3/
ML-4 PROJECTS. FOR ML-1/
ML-2, ADDITIONAL REQUIREMENTS
AND QA REVIEWS ARE REQUIRED.
(REMOVE THIS NOTE WHEN IN-
SERTED INTO A DRAWING PACK-
AGE).

NO	DATE	CLASS REV	ADD	DESCRIPTION	OWN	DSGN	CHKD	SUB	APP	
ENGINEERING STANDARDS PROGRAM										
ENGINEERING STANDARDS MANUAL										
					DRWN	R.PEARSON				
					DESIGN	S.RICHARDSON				
					CHECKED	R.TROUT				
					DATE	5-17-04				
BLDG X					TA-X					
SUBMITTED					APPROVED FOR RELEASE					
DISCIPLINE POC: SCOTT RICHARDSON					STANDARDS MANAGER: TOBIN ORUCH					
					SHEET					
					3 OF 9					
CLASSIFICATION: U					REVIEWER: LARRY BAYS					
PROJECT ID					DRAWING NO					
CHAPTER 4					ST-G2040-4					
					REV 0					

MORRIS