



ALTERNATIVE 2-LINE WALL SIGN
SCALE: NONE

.125" (1/8") ALUMINUM FACE WITH CONTINUOUS ALUMINUM FRAME, M.A.P. #30136 BRUSHED ALUMINUM SATIN GLOSS PAINT FINISH

APPLIED BLACK VINYL TEXT, FONT STYLE "FRUTIGER 75"

FONT STYLE "FRUTIGER 75"

COUNTERSUNK FASTENERS, TYPICAL

APPLIED VINYL TEXT/ GRAPHICS-COLOR VARIES

EXISTING BUILDING STRUCTURE

.125" (1/8") ALUMINUM FACE WITH CONTINUOUS ALUMINUM ANGLE FRAME, M.A.P. FINISH VARIES

DRAWING DEVELOPED FOR ML-3/ ML-4 PROJECTS. FOR ML-1/ ML-2, ADDITIONAL REQUIREMENTS AND QA REVIEWS ARE REQUIRED. (REMOVE THIS NOTE WHEN INSERTED INTO A DRAWING PACKAGE).

SECTION DETAIL
SCALE: NONE

.125" (1/8") ALUMINUM WITH M.A.P. PAINT FINISHED TO MATCH PMS #3025U SATIN GLOSS

APPLIED WHITE VINYL TEXT, FONT STYLE "FRUTINER 75"

.125" (1/8") ALUMINUM FACE WITH M.A.P. #30136 BRUSHED ALUMINUM STAIN GLOSS PAINT FINISH

APPLIED BLACK VINYL TEXT, FONT STYLE "FRUTINER 75"

ON-BUILDING IDENTIFICATION SIGN
SCALE: NONE

NOTES FOR DESIGNER:
(DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)
1. COORDINATE WITH LANL MASTER SPECIFICATION 10 1405.

NO	DATE	CLASS REV	ADD	DESCRIPTION	OWN	DSGN	CHKD	SUB	APP	
ENGINEERING STANDARDS PROGRAM										
ENGINEERING STANDARDS MANUAL										
					DRAWN	R.PEARSON				
					DESIGN	S.RICHARDSON				
					CHECKED	R.TROUT				
BUILDING IDENTIFICATION PLAQUES AND DETAIL										
BLDG X					TA-X					
SUBMITTED					APPROVED FOR RELEASE					
DISCIPLINE POC: SCOTT RICHARDSON					STANDARDS MANAGER: TOBIN ORUCH					
SHEET										
8 OF 9										
Los Alamos NATIONAL LABORATORY										
CLASSIFICATION: U PROJECT ID: CHAPTER 4 REVIEWER: LARRY BAYS DRAWING NO: ST-G2040-4 DATE: 8 OF 9 REV: 0										