



D  
C  
B  
A

- GENERAL NOTES:**
- IF THIS SHEET IS NOT 24"X36" USE GRAPHIC SCALE ACCORDINGLY.
  - PLACE 1/2" WIDE PREMOULDED EXPANSION JOINT FILLER MATERIAL AT INTERVALS NOT TO EXCEED 3 CONTROL JOINTS.
  - PLACE CONTROL JOINTS IN THE SIDEWALKS TO FORM A SQUARE.
  - JOINTS MAY BE TOOLED OR SAWED AND SHALL EXTEND AT LEAST 1/3 OF THE DEPTH OF CONCRETE.
  - SIDEWALKS AND SIDEWALK RAMPS SHALL BE COMPLIANT WITH AMERICANS WITH DISABILITIES ACT (ADAAG) AND NEW MEXICO DOT STANDARD DRAWINGS, SECTION 608.



DRAWING DEVELOPED FOR ML-3/ML-4 PROJECTS. FOR ML-1/ML-2, ADDITIONAL REQUIREMENTS AND QA REVIEWS ARE REQUIRED. (REMOVE THIS NOTE WHEN INSERTED INTO A DRAWING PACKAGE)



**NOTES FOR DESIGNER:** (DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)

- WHEN EDITING DETAIL TO SUIT PROJECT, ADD JOB SPECIFIC REQUIREMENTS AND DELETE ONLY THOSE PORTIONS THAT DO NOT APPLY. TO SEEK A VARIANCE FROM APPLICABLE REQUIREMENTS, CONTACT THE ESM CIVIL POC
- FOR ADDITIONAL REQUIREMENTS REFER TO THE ESM CIVIL CHAPTER AND NEW MEXICO DOT STANDARD DRAWINGS, SECTION 608.
- DESIGN SIDEWALKS SUBJECTED TO VEHICULAR TRAFFIC (THICKNESS 6" MIN. & REINFORCEMENT) TO WITHSTAND ANTICIPATED LOADINGS.
- PEDESTRIAN SIDEWALKS TO BE 4 INCHES THICK (MINIMUM).
- SIDEWALKS AND SIDEWALK RAMPS SHALL BE COMPLIANT WITH ACCESSIBILITY CODES AND STANDARDS. DETECTABLE WARNING SURFACE SHALL BE A "CAST IN WET CONCRETE SYSTEM", APPROVED BY LANL TRAFFIC ENGINEER.
- PROVIDE POSITIVE DRAINAGE AWAY FROM SIDEWALK EDGE.

NO	DATE	CLASS REV	DC	DESCRIPTION	DWN	DSGN	CHKD	SUB	APP
4	08/04/2016	UNCLASS	EJS	ADMIN CHANGES TO NEW FORMAT CAD STD REV#5. MINOR DESIGN CHANGES	EJS	MS	MS	CJRR	TO
3	1-28-14	U		GENERAL REVISION	KT	MS	JG	RT	TO
2	02/12/2007	U	TO	REVISED GEN NOTE4. DESIGNER NOTES 2&3 & ADDED 6.REV DTL ACCORDINGLY	RP	MS	RT	JH	TO
1	02/12/2007	U	DY	ADDED GEN NOTES 2-4. SIGN TYPICAL EACH SPACE & MOTORCYCLE PARKING	RP	MS	RT	JH	TO

**ENGINEERING STANDARDS**

**CIVIL**

**SIDEWALK**

DRAWN	R.PEARSON
DESIGN	C.TRASK
CHECKED	C.ROMERO
DATE	8-18-04

TA- XX BLDG XXXX

SUBMITTED DISCIPLINE POC: EDWARD HOTH APPROVED FOR RELEASE STANDARDS MANAGER: TOBIN ORUCH

Los Alamos NATIONAL LABORATORY P.O. Box 1663 Los Alamos, New Mexico 87545

D.C.: UNCLASSIFIED REVIEWER: LARRY BAYS DATE:

PROJECT ID DRAWING NO DATE:

**CHAPTER 3 ST-G2030-1**

SHEET **1** OF **1**  
REV **4**

00% REVIEW  
NOT FOR CONSTRUCTION