

1

2

3

4

5


6

D

C

B

A



TYPICAL GATE DETAIL
 X
 C-XXXX SCALE: NONE

DESIGNER NOTES:
 (DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)

- COORDINATE WITH LANL MASTER SPECIFICATION 32 3100, WIRE FENCING.
- IF ALLOWED BY ENV-EAQ VIA STANDARDS CIVIL POC 12 1/2 GA. BARBED WIRE CAN BE SUBSTITUTED.

KEYED NOTES:

- ① CAPS SHALL BE INSTALLED ON ALL PIPE POSTS.

NOTES FOR DESIGNER:

(DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)

- COORDINATE WITH MASTER LANL SPECIFICATION 32 3100, WIRE FENCING.
- IF ALLOWED BY ENV-EAQ VIA STANDARDS CIVIL POC, 12 1/2 GA. BARBED WIRE CAN BE SUBSTITUTED.

DRAWING DEVELOPED FOR ML-3/ML-4 PROJECTS. FOR ML-1/ML-2, ADDITIONAL REQUIREMENTS AND QA REVIEWS ARE REQUIRED. (REMOVE THIS NOTE WHEN INSERTED INTO A DRAWING PACKAGE).

| NO | DATE | CLASS REV | DC | DESCRIPTION | DWN | DSGN | CHKD | SUB | APP |
|----|---------|-----------|----|---|-----|------|------|-----|-----|
| 2 | 1-28-14 | U | | GENERAL REVISION ADDED DESIGN NOTES. | KT | MS | JG | RT | TO |
| 1 | 2-23-05 | U | DY | REVISED TITLE BLOCK REVISION DATA, ADTS - ENGINEERING LOGO, ADDED TEXT BLOCK. | RP | EH | TO | EH | TO |

ENGINEERING STANDARDS PROGRAM

| | | | |
|---|--|---------|--------------|
| ENGINEERING STANDARDS MANUAL | | DRAWN | R.G.MARTINEZ |
| FENCE - SMOOTH STRAND SINGLE OR DOUBLE GATE | | DESIGN | E.HOTH |
| TA-XX BLDG XXX | | CHECKED | T.ORUCH |
| SUBMITTED DISCIPLINE POC: EDWARD HOTH | | DATE | 10-10-02 |

APPROVED FOR RELEASE STANDARDS MANAGER: TOBIN ORUCH SHEET 2

Los Alamos NATIONAL LABORATORY PO Box 1663 Los Alamos, New Mexico 87545 2 OF 2

| | | | |
|--------------------|----------------------|--------------|-------|
| D.C.: UNCLASSIFIED | REVIEWER: LARRY BAYS | BASIS: BASIS | DATE: |
| PROJECT ID | DRAWING NO | ESR NO.: | REV |
| CHAPTER 3 | ST-G2040-2 | ESR # | 2 |