



PIPE SLEEVE OR SHEET METAL SLEEVE

FILL OPENING WITH GROUT OR SEALANT DEPENDING UPON BUILDING MATERIALS PENETRATED

1/2" TO 5/8" ANNULAR SPACE-PACK SPACE WITH FIBERGLASS MATERIAL

PIPE OR ELECTRICAL CONDUIT

SEAL ALL AROUND WITH RESILIENT NON-HARDENING SEALER-TYP

BUILDING WALL OR FLOOR

 **SOUND CONTROL DETAIL**
SCALE: NONE

NOTES FOR DESIGNER: (DO NOT INCLUDE ON CONSTRUCTION DRAWINGS)

1. SEE SHEET 5.

DRAWING DEVELOPED FOR ML-3/ML-4 PROJECTS. FOR ML-1/ML-2, ADDITIONAL REQUIREMENTS AND QA REVIEWS ARE REQUIRED. (REMOVE THIS NOTE WHEN INSERTED INTO A DRAWING PACKAGE).

3	8-14-03	U		EDITORIAL CHANGES & DWG NO. WAS STOOD.	RP	SS	RR	GG	TO
2	9-8-02	U		ADDED SHEET 5.	RP	JR	GG	GG	TO
1	4-30-01	U		REVISED TO COMPLY WITH DRAFTING MANUAL & ADDED NOTES 2 & 3.	RP	RR	KB	TO	TO
NO	DATE	CLASS REV	ADC	DESCRIPTION	OWN	DSGN	CHKD	SUB	APP

ENGINEERING STANDARDS PROGRAM

ENGINEERING STANDARDS MANUAL

DRAWN	R.PEARSON
DESIGN	R.ROMERO
CHECKED	K.BECKHAM
DATE	8-28-99

BLDG X TA-X

SUBMITTED APPROVED FOR RELEASE

DISCIPLINE POC: GURINDER GREWAL STANDARDS MANAGER: TOBIN ORUCH

 PO Box 1663
Los Alamos, New Mexico 87545

CLASSIFICATION: U REVIEWER: LARRY BAYS DATE: 1 OF 5

PROJECT ID: CHAPTER 6 DRAWING NO: ST-D10-30GEN-3 REV: 3