

1

2

3


4

5


6

**GENERAL NOTES:**


- 1. IF THIS SHEET IS NOT 24"x36" USE GRAPHIC SCALE ACCORDINGLY.
- 2. IF COMPACTION OF NATIVE SOIL CANNOT BE MET, OVER EXCAVATE AND PROVIDE MINIMUM 6" OF SUITABLE BACK FILL BELOW THE CONCRETE SLAB.



**PLAN**



**LIFTING EYE DETAIL**



**SECTION A-A**



**ARV PIT DETAIL**

|                      |              |    |                           |
|----------------------|--------------|----|---------------------------|
| LBO-DESIGN PACKAGE   | N/A          |    |                           |
| REVIEWER             |              |    |                           |
| APPROVED FOR RELEASE | T. ORLICH    |    |                           |
| SUBMITTED            |              |    |                           |
| DESIGNED             | M. TRUJILLO  |    |                           |
| DRAWN                | WILSON & CO  |    |                           |
| CLASSIFICATION       | UNCLASSIFIED | NO |                           |
|                      |              | 0  | INITIAL ISSUE 05/05/21    |
|                      |              |    | REVISION DESCRIPTION DATE |

CONCEPTUAL  
NOT FOR CONSTRUCTION

**ENGINEERING STANDARDS**

**CIVIL**

**AIR RELIEF VALVE (ARV) DETAIL**

TA-XX BLDG XXXX

**C-5000**

**1 OF 1**

Los Alamos NATIONAL LABORATORY PO Box 1663 Los Alamos, New Mexico 87545

PROJECT ID: **CHAPTER 3** DRAWING NO: **ST-G3010-7** REV: **0**