

TABLE OF CONTENTS

WIGN 6-01	Welding Inspector Qualification	2
1.0	Purpose and Scope	2
2.0	References	2
3.0	Acronyms and Definitions	2
4.0	General	3
4.1	Responsibilities	3
5.0	Procedure	3
5.1	Vision Requirements	3
5.2	Qualification and Certification.....	4
5.3	Owners Inspector	4
6.0	Forms	5
	FM01: Visual Acuity Record	5
7.0	Appendices	5
	Appendix A: Inspector Certification (Sample).....	6

RECORD OF REVISIONS

Rev	Date	Description	POC	RM
0	10/1/09	Initial issue. Supersedes Volume 1, GWS 1-11.	Kelly Bingham, <i>ES-DE</i>	Larry Goen, <i>CENG-OFF</i>
1	11/21/13	Added J2 to vision requirements.	David Bingham, <i>ES-EPD</i>	Larry Goen, <i>ES-DO</i>
2	12/19/22	Clarification of language; addition and deletion of definitions. Visual record became FM01, certificate became App A and sample.	David Bingham, <i>ES-IPD</i>	Michael Richardson, <i>ES-DO</i>

Contact the [Welding Standards POC](#) for upkeep, interpretation, and variance issues.

This document is online at <https://engstandards.lanl.gov>

WIGN 6-01 Welding Inspector Qualification

1.0 Purpose and Scope

- A. The purpose of this procedure is to establish the qualification and certification requirements for personnel performing visual welding inspections of welding in support of the LANL Welding Program.
- B. The scope of this procedure applies to personnel conducting visual weld inspections under the LANL Welding Program, including subcontractor personnel when invoked by specification or contract.

2.0 References

- A. LANL [P330-8](#), Inspection and Test for Acceptance
- B. GWS 1-01, Introduction and Scope
- C. GWS 1-02, Administrative Control of Welding & Brazing
- D. ESM Chapter 16, IBC Program, Sections IBC-IP and IBC-TIA or successors
- E. Applicable codes and standards as specified in the LANL Engineering Standards Manual (ESM), Master Specifications, and other specified program requirements, including NDE procedures (e.g., ITM-1306-NDE series)

3.0 Acronyms and Definitions

Acronym / Term	Description
CWI, SCWI, CAWI	American Welding Society Certified Welding Inspector or Senior Certified Welding Inspector (SCWI), Certified Associate Welding Inspector (CAWI)
ES	Engineering Services Division
GWS	General Welding Standards
WPA	Welding Program Administrator (LANL)

4.0 General

4.1 Responsibilities

- A. The **LANL Welding Program Administrator (WPA)** is responsible for certification and/or approval of welding inspection personnel at LANL in accordance with procedure.
- B. The **LANL Project / Program Managers and facility managers** are responsible for coordination of welding inspections conducted in support of assigned projects, in accordance with the Administrative Control of Welding section (GWS 1-02) of this program.
- C. **Subcontractor welding inspection personnel** must be qualified and certified in accordance with this document or an equivalent procedure approved by the LANL WPA when invoked by specification or contract, and in accordance with the References.
- D. **Welding inspection personnel** must be independent of production (i.e., they shall not have direct responsibility for performance or supervision of the work they are assigned to inspect/examine) and shall be certified or approved by LANL WPA or his designee.
- E. **Welding inspection personnel** must perform inspections using procedures approved by LANL WPA; approved LANL procedures are posted on the Volume 6 website.
- F. **Welding inspection personnel** must document inspections performed. See GWS 1-02 (*Paras. 5.6 and 5.8*) and Attachment 3, *Weld Inspection Record*.
- G. **Personnel performing welding** at LANL shall be qualified and certified in accordance with GWS 1-05, *Welder Performance Qualification and Certification* unless excluded or exempt in accordance with GWS 1-01 *Introduction & Scope* (*Para. 5.2 and/or 5.3*).

NOTE: This procedure is not applicable to welders conducting in-process inspection or visual examination of their own work.

- H. ***The LANL IBC Program*** (*ref. 4*) *uses this qualification procedure/process to maintain LANL Building Official-approved welding inspection agencies and inspection personnel.*

5.0 Procedure

5.1 Vision Requirements

- A. Inspection personnel shall undergo an annual vision examination by LANL Occupational Medicine. Results of this examination shall be recorded on Attachment 1, or an equivalent form, for all vision examinations.
- B. *Guidance: Elimination of the need for corrective lenses due to surgery (e.g., laser vision correction) should be noted on the annual re-certification.*

5.2 Qualification and Certification

- A. Personnel who perform welding inspections for acceptance shall:
1. be certified or approved by LANL WPA or their designee and
 2. hold a current AWS-CWI, AWS-SCWI, or AWS-CAWI under the direct supervision of an AWS-CWI, or:
- B. Alternately, they may apply for a LANL WPA-approved equivalent certification and be considered qualified provided they meet the following:
- A high school diploma or equivalent and a minimum of five (5) years experience in design, fabrication, welding, installation, and inspection of related industrial or nuclear construction; or
 - A related technical school diploma and a minimum of two (2) years experience in design, fabrication, welding, installation, or inspection of related industrial or nuclear construction, or
 - Demonstrate to WPA a working knowledge of the welding discipline through a combination of interviews, ability demonstrations, and/or written or verbally administered examinations.
- C. When engineering specifications and fabrication/construction codes do not mandate formal certification for visual welding inspectors, the qualification requirements of paragraph 5.2.B may be applied to individual welders or craft/technician supervision.
- D. Appendix A, *Inspector Certification (sample)* or equivalent shall be completed for individuals meeting the criteria for certification.
- E. LANL WPA shall maintain a file of qualification records for LANL welding inspectors. The certification files may be stored in the form of an electronic database.

Access internal listing via Ch. 13 webpage [here](#).

5.3 Owners Inspector

When applicable Codes or Standards specify that work be inspected by an owners representative:

Guidance Note: Several codes and standards require two levels of inspection, one by the contractor/fabricator and the other by an owner's inspector.

See GWS 1-02 Para. 5.8 Owner Inspector requirements and GWS 1-02 Attachment 4 for a list of codes and standards that require two levels of inspection.

- A. Owner Inspector personnel shall be qualified & approved by Engineering Services.
- B. Inspections shall be performed and documented as required by Engineering Services.

- C. At LANL’s discretion, LANL inspectors may serve as both the manufacturer/fabricator examiner and owners inspector. *Guidance Note: Some codes (example AWS D1.1) require that if this is exercised it must be invoked by contract with the manufacturer/fabricator.*

6.0 Forms

(both WIGN 6-01 and 6-02 use it)

FM01: Visual Acuity Record

7.0 Appendices

Appendix A: Inspector Certification (Sample)

Appendix A: Inspector Certification (Sample)

A (the) database used to capture certification of welding inspectors (and NDE examiners) shall contain the following data as a minimum in any format, but with appropriate certification basis statement.

INSPECTOR CERTIFICATION

Employee: _____ Z# _____ Employer: _____
Test Method: _____ Level: _____

We certify that the education, experience, and training meets the requirements of Los Alamos National Laboratory Inspector Certification Program as outlined in ESM, Chapter 13, Volume 6, GWS 6-01 for Visual, or GWS 6-02 and Attachment 3 and the requirements of SNT-TC-1A -2006 or later in the applicable test methods for NDE.

- General
- Specific
- Practical
- Composite

LANL Certification Date: _____ Expiration Date: _____
ASNT Level III: _____ ASNT Expiration: _____
AWS Certificate: _____ AWS Expiration: _____

Remarks:

NDE Level III: _____ Date: _____

LANL Welding Program Admin.: _____ Date: _____